



Most used antibody in prion research

MONOCLONAL ANTIBODY 6H4

Cordes H, Bergstrom A, Ohm J, Laursen H, Heegaard Peter MH (2008) Characterisation of new monoclonal antibodies reacting with prions from both human and animal brain tissues. *Journal of Immunological Methods* Vol. 337, No. 2, pp. 106-20. Electronic Publication: 2008-07-25.

Manning L, O'Rourke K, I, Knowles DP, Marsh SA, Spencer Y, I, Moffat E, Wells Gerald AH, Czub S (2008) A collaborative Canadian-United Kingdom evaluation of an immunohistochemistry protocol to diagnose bovine spongiform encephalopathy. *Journal of veterinary diagnostic investigation : official publication of the American Association of Veterinary Laboratory Diagnosticians, Inc* Vol. 20, No. 4, pp. 504-8.

Holada K, Simak J, Brown P, Vostal JG (2007) Divergent expression of cellular prion protein on blood cells of human and nonhuman primates. *Transfusion* 47:2223-2232.

Kang SG, Lee DY, Kang ML, Yoo HS (2007) Biological characteristics of Chinese hamster ovary cells transfected with bovine Prnp. *Journal of veterinary science (Suwon-si, Korea)* Vol. 8, No. 2, pp. 131-7.

Thackray AM, Hopkins L, Bujdoso R (2007) Proteinase K-sensitive disease-associated ovine prion protein revealed by conformation-dependent immunoassay. *The Biochemical Journal* 401:475-483.

Vidal E, Marquez M, Costa C, Tortosa R, Domenech A, Serafin A, Pumarola M (2007) Molecular profiling and comparison of field transmissible spongiform encephalopathy cases diagnosed in Catalunya. *Veterinary Journal (London, England: 1997)* 174:196-199.

Jeffrey M, Gonzalez L, Chong A, Foster J, Goldmann W, Hunter N, Martin S (2006) Ovine Infection with the Agents of Scrapie (CH1641 Isolate) and Bovine Spongiform Encephalopathy: Immunochemical Similarities can be Resolved by Immunohistochemistry. *Journal of Comparative Pathology* 134:17-29.

Thackray AM, Fitzmaurice TJ, Hopkins L, Bujdoso R (2006) Ovine plasma prion protein levels show genotypic variation detected by C-terminal epitopes not exposed in cell-surface PrP^C. *The Biochemical Journal* 400:349-358.

Wu X, Wang Z, Liu Y, Zhang Y, Chen Y, Zou Y (2006) Development of a Monoclonal Antibody-Based Immunohistochemistry Method for BSE Surveillance in China. *Annals of the New York Academy of Sciences* 1081:112-123.



Donofrio G, Heppner FL, Polymenidou M, Musahl C, Aguzzi A (2005) Paracrine inhibition of prion propagation by anti-PrP single-chain Fv miniantibodies. *Journal of Virology* 79:8330-8338.

Hayashi HK, Yokoyama T, Takata M, Iwamaru Y, Imamura M, Ushiki YK, Shinagawa M (2005) The N-terminal cleavage site of PrP^{Sc} from BSE differs from that of PrP^{Sc} from scrapie. *Biochemical and Biophysical Research Communications* 328:1024-1027.

Yuan J, Kinter M, McGeehan J, Perry G, Kneale G, Gambetti P, Zou W (2005) Concealment of epitope by reduction and alkylation in prion protein. *Biochemical and Biophysical Research Communications* 326:652-659.

Buschmann A, Biacabe A-G, Ziegler U, Bencsik A, Madec J-Y, Erhardt G, Luhken G, Baron T, Groschup MH (2004) Atypical scrapie cases in Germany and France are identified by discrepant reaction patterns in BSE rapid tests. *Journal of Virological Methods* 117:27-36.

Casalone C, Zanusso G, Acutis P, Ferrari S, Capucci L, Tagliavini F, Monaco S, Caramelli M (2004) Identification of a second bovine amyloidotic spongiform encephalopathy: molecular similarities with sporadic Creutzfeldt-Jakob disease. *Proceedings of the National Academy of Sciences of the United States of America* 101:3065-3070.

Dourmashkin RR, Oxford JS, Bountiff L (2004) Immunogold electron microscopy recognizes prion protein-associated particles prepared from scrapie-infected mouse brain. *Journal of Neuro pathology and Experimental Neurology* 63:32-42.

Kikuchi Y, Takeya T, Sakai A, Takatori K, Nakamura N, Matsuda H, Yamazaki T, Tanamoto K, Sawada J (2004) Propagation of a protease-resistant form of prion protein in long-term cultured human glioblastoma cell line T98G. *Journal of General Virology* 85:3449-3457.

Mattei V, Garofalo T, Misasi R, Circella A, Manganelli V, Lucania G, Pavan A, Sorice M (2004) Prion protein is a component of the multimolecular signaling complex involved in T cell activation. *FEBS Letters* 560:14-18.

McLeod AH, Murdoch H, Dickinson J, Dennis MJ, Hall GA, Buswell CM, Carr J, Taylor DM, Sutton JM, Raven Neil DH (2004) Proteolytic inactivation of the bovine spongiform encephalopathy agent. *Biochemical and Biophysical Research Communications* 317:1165-1170.

Pan T, Li R, Kang S, Wong B, Wisniewski T, Sy M (2004) Epitope scanning reveals gain and loss of strain specific antibody binding epitopes associated with the conversion of normal cellular prion to scrapie prion. *Journal of Neurochemistry* 90:1205-1217.

Soto C (2004) Diagnosing prion diseases: needs, challenges and hopes. *Nat Rev Microbiol* 2:809-819.

Yakovleva O, Janiak A, McKenzie C, McShane L, Brown P, Cervenakova L (2004) Effect of protease treatment on plasma infectivity in variant Creutzfeldt-Jakob disease mice. *Transfusion* 44:1700-1705.

Zou W, Zheng J, Gray DM, Gambetti P, Chen SG (2004) Antibody to DNA detects scrapie but not normal prion protein. *Proceedings of the National Academy of Sciences of the United States of America* 101:1380-1385.

Alexandru N (2003) Detection of PrP^{Sc} in the brainstem of two ewes in Romania Detectia PrP^{Sc} in trunchiul cerebral la doua ovine in Romania. *Revista Romana de Medicina Veterinara* 13:75-81.

Cervenakova L, Yakovleva O, McKenzie C, Kolchinsky S, McShane L, Drohan WN, Brown P (2003) Similar levels of infectivity in the blood of mice infected with human-derived vCJD and GSS strains of transmissible spongiform encephalopathy. *Transfusion* 43:1687-1694.

Liu WG, Brown DA, Fraser JR (2003) Immunohistochemical comparison of anti-prion protein (PrP) antibodies in the CNS of mice infected with scrapie. *Journal of Histochemistry and Cytochemistry* 51:1065-1071.

Monleon E, Monzon M, Hortells P, Vargas A, Badiola JJ (2003) Detection of PrP^{Sc} in Samples Presenting a Very Advanced Degree of Autolysis (BSE Liquid State) by Immunocytochemistry. *J Histochemistry and Cytochemistry* 51:15-18.

Biffiger K, Zwald D, Kaufmann L, Briner A, Nayki I, Purro M, Bottcher S, Struckmeyer T, Schaller O, Meyer R, Fatzer R, Zurbriggen A, Stack M, Moser M, Oesch B, Kubler E (2002) Validation of a luminescence immunoassay for the detection of PrP^{Sc} in brain homogenate. *J Virol Methods* 101:79-84.

Cabral AL, Lee KS, Martins VR (2002) Regulation of the cellular prion protein gene expression depends on chromatin conformation. *J Biol Chem* 277:5675-5682.

Chaplin MJ, Barlow N, Ryder S, Simmons MM, Spencer Y, Hughes R, Stack MJ (2002) Evaluation of the effects of controlled autolysis on the immunodetection of PrP^{Sc} by immunoblotting and immunohistochemistry from natural cases of scrapie and BSE. *Res Vet Sci* 72:37-43.

Chiarini LB, Freitas AR, Zanata SM, Brentani RR, Martins VR, Linden R (2002) Cellular prion protein transduces neuroprotective signals. *EMBO J* 21:3317-3326.

Holada K, Simak J, Risitano AM, Maciejewski J, Young NS, Vostal JG (2002) Activated platelets of patients with paroxysmal nocturnal hemoglobinuria express cellular prion protein. *Blood* 100:341-343.

Hunter N, Foster J, Chong A, McCutcheon S, Parnham D, Eaton S, MacKenzie C, Houston F (2002) Transmission of prion diseases by blood transfusion. *J Gen Virol* 83:2897-2905.

Kovacs GG, Head MW, Hegyi I, Bunn TJ, Flicker H, Hainfellner JA, McCardle L, Laszlo L, Jarius C, Ironside JW, Budka H (2002) Immunohistochemistry for the prion protein: comparison of different monoclonal antibodies in human prion disease subtypes. *Brain Pathol* 12:1-11.

Lorenz H, Windl O, Kretzschmar HA (2002) Cellular phenotyping of secretory and nuclear prion proteins associated with inherited prion diseases. *J Biol Chem* 277:8508-8516.

Morignat E, Ducrot C, Roy P, Baron T, Vinard JL, Biacabe AG, Madec JY, Bencsik A, Debeer S, Eliazsewicz M, Calavas D (2002) Targeted surveillance to assess the prevalence of BSE in high-risk populations in western France and the associated risk factors. *Vet Rec* 151:73-77.

Stack J, Chaplin J, Clark J (2002) Differentiation of prion protein glycoforms from naturally occurring sheep scrapie, sheep-passaged scrapie strains (CH1641 and SSBP1), bovine spongiform encephalopathy (BSE) cases and Romney and Cheviot breed sheep experimentally inoculated with BSE using two monoclonal antibodies. *Acta Neuropathol (Berl)* 104:279-286.

Zivny JH, Graciasova R, Holada K, Simak J, Vostal J (2002) Cellular Prion Protein (PrP^C) Expression in Erythroid Differentiation. *Blood* 100:Abstract.

Zou WQ, Cashman NR (2002) Acidic pH and detergents enhance in vitro conversion of human brain PrP^C to a PrP^{Sc}-like form. *J Biol Chem* 277:43942-43947.

Calavas D, Ducrot C, Baron T, Morignat E, Vinard JL, Biacabe AG, Madec JY, Bencsik A, Debeer S, Eliazsewicz M (2001) Prevalence of BSE in western France by screening cattle at risk: preliminary results of a pilot study. *Vet Rec* 149:55-56.

Cooley WA, Clark JK, Ryder SJ, Davis LA, Farrelly SS, Stack MJ (2001) Evaluation of a rapid western immunoblotting procedure for the diagnosis of bovine spongiform encephalopathy (BSE) in the UK. *J Comp Pathol* 125:64-70.

Debeer SO, Baron TG, Bencsik AA (2001) Immunohistochemistry of PrP^{Sc} within bovine spongiform encephalopathy brain samples with graded autolysis. *J Histochem Cytochem* 49:1519-1524.

Enari M, Flechsig E, Weissmann C (2001) Scrapie prion protein accumulation by scrapie-infected neuroblastoma cells abrogated by exposure to a prion protein antibody. *Proc Natl Acad Sci U S A* 98:9295-9299.

Hamir AN, Cutlip RC, Miller JM, Williams ES, Stack MJ, Miller MW, O'Rourke KI, Chaplin MJ (2001) Preliminary findings on the experimental transmission of chronic wasting disease agent of mule deer to cattle. *J Vet Diagn Invest* 13:91-96.

Heppner FL, Musahl C, Arrighi I, Klein MA, Rulicke T, Oesch B, Zinkernagel RM, Kalinke U, Aguzzi A (2001) Prevention of scrapie pathogenesis by transgenic expression of anti-prion protein antibodies. *Science* 294:178-182.

Heppner FL, Arrighi I, Kalinke U, Aguzzi A (2001) Immunity against prions? *Trends Mol Med* 7:477-479.

Kubosaki A, Yusa S, Nasu Y, Nishimura T, Nakamura Y, Saeki K, Matsumoto Y, Itohara S, Onodera T (2001) Distribution of cellular isoform of prion protein in T lymphocytes and bone marrow, analyzed by wild-type and prion protein gene-deficient mice. *Biochem Biophys Res Commun* 282:103-107.

Montrasio F, Cozzio A, Flechsig E, Rossi D, Klein MA, Rulicke T, Raeber AJ, Vosshenrich CA, Proft J, Aguzzi A, Weissmann C (2001) B lymphocyte-restricted expression of prion protein does not enable prion replication in prion protein knockout mice. *Proc Natl Acad Sci U S A* 98:4034-4037.

Parizek P, Roeckl C, Weber J, Flechsig E, Aguzzi A, Raeber AJ (2001) Similar Turnover and Shedding of the Cellular Prion Protein in Primary Lymphoid and Neuronal Cells. *Journal of Biological Chemistry* 276:44627-44632.

Rossi D, Cozzio A, Flechsig E, Klein MA, Rulicke T, Aguzzi A, Weissmann C (2001) Onset of ataxia and Purkinje cell loss in PrP null mice inversely correlated with Dpl level in brain. *EMBO J* 20:694-702.

Shaked GM, Shaked Y, Kariv-Inbal Z, Halimi M, Avraham I, Gabizon R (2001) A protease-resistant prion protein isoform is present in urine of animals and humans affected with prion diseases. *J Biol Chem* 276:31479-31482.

Sigurdson CJ, Spraker TR, Miller MW, Oesch B, Hoover EA (2001) PrP(CWD) in the myenteric plexus, vagosympathetic trunk and endocrine glands of deer with chronic wasting disease. *J Gen Virol* 82:2327-2334.

Thielen C, Melot F, Jolois O, Leclercq F, Tsunoda R, Frobert Y, Heinen E, Antoine N (2001) Isolation of bovine follicular dendritic cells allows the demonstration of a particular cellular prion protein. *Cell Tissue Res* 306:49-55.

Urlings HA, van Zijderveld FG (2001) Active surveillance of BSE in cattle in The Netherlands. *Vet Q* 23:134-138.

Volkel D, Zimmermann K, Zerr I, Bodemer M, Lindner T, Turecek PL, Poser S, Schwarz HP (2001) Immunochemical determination of cellular prion protein in plasma from healthy subjects and patients with sporadic CJD or other neurologic diseases. *Transfusion* 41:441-448.

Fischer MB, Roeckl C, Parizek P, Schwarz HP, Aguzzi A (2000) Binding of disease-associated prion protein to plasminogen. *Nature* 408:479-483.

Flechsig E, Shmerling D, Hegyi I, Raeber AJ, Fischer M, Cozzio A, von Mering C, Aguzzi A, Weissmann C (2000) Prion protein devoid of the octapeptide repeat region restores susceptibility to scrapie in PrP knockout mice. *Neuron* 27:399-408.

Glatzel M, Aguzzi A (2000) PrP^C expression in the peripheral nervous system is a determinant of prion neuroinvasion. *J Gen Virol* 81:2813-2821.

Heim D, Wilesmith JW (2000) Surveillance of BSE. *Arch Virol Suppl* 127-133.



Houston F, Foster JD, Chong A, Hunter N, Bostock CJ (2000) Transmission of BSE by blood transfusion in sheep. *Lancet* 356:999-1000.

Oesch B, Doherr M, Heim D, Fischer K, Egli S, Bolliger S, Biffiger K, Schaller O, Vandeveld M, Moser M (2000) Application of Prionics Western blotting procedure to screen for BSE in cattle regularly slaughtered at Swiss abattoirs. *Arch Virol Suppl* 189-195.

Politopoulou G, Seebach JD, Schmutz M, Schwarz HP, Aguzzi A (2000) Age-related expression of the cellular prion protein in human peripheral blood leukocytes. *Haematologica* 85:580-587.

Frigg R, Klein MA, Hegyi I, Zinkernagel RM, Aguzzi A (1999) Scrapie pathogenesis in subclinically infected B-cell-deficient mice. *J Virol* 73:9584-9588.

Hill AF, Butterworth RJ, Joiner S, Jackson G, Rossor MN, Thomas DJ, Frosh A, Tolley N, Bell JE, Spencer M, King A, Al Sarraj S, Ironside JW, Lantos PL, Collinge J (1999) Investigation of variant Creutzfeldt-Jakob disease and other human prion diseases with tonsil biopsy samples. *Lancet* 353:183-189.

Moynagh J, Schimmel H (1999) Tests for BSE evaluated. *Bovine spongiform encephalopathy. Nature* 400:105.

Schaller O, Fatzer R, Stack M, Clark J, Cooley W, Biffiger K, Egli S, Doherr M, Vandeveld M, Heim D, Oesch B, Moser M (1999) Validation of a western immunoblotting procedure for bovine PrP^{Sc} detection and its use as a rapid surveillance method for the diagnosis of bovine spongiform encephalopathy (BSE). *Acta Neuropathol (Berl)* 98:437-443.

Korth C, Stierli B, Streit P, Moser M, Schaller O, Fischer R, Schulz-Schaeffer W, Kretschmar H, Raeber A, Braun U, Ehrensperger F, Hornemann S, Glockshuber R, Riek R, Billeter M, Wuthrich K, Oesch B (1997) Prion (PrP^{Sc})-specific epitope defined by a monoclonal antibody. *Nature* 390:74-77.